



中新清城环境
CS TSINGCHENG ENVIRONMENT



211012342063



检 测 报 告

Test Report

报告编号: QCHJ202601688

检测类别

委托检测

样品类别

有组织废气

委托单位

中新苏伊士环保技术（苏州）有限公司

中新苏州工业园区清城环境发展有限公司

CS SIP Tsingcheng Environment Development Co. LTD



声 明 Statement

1. 本报告无检验检测专用章、报告骑缝章和批准人签字无效。

This report is invalid without special seal of analysis, cross-page seal and approver's signatures.

2. 委托单位对报告数据如有异议，请于报告完成之日起十五日内向本单位书面提出复测申请，同时附上报告原件。

If the client has any questions about the results, please provide a written retest application with the original report to Tsingcheng within fifteen days since the final approval date of the report.

3. 委托单位对样品的代表性和资料的真实性负责，否则本单位不承担任何相关责任。

The client is responsible for the representativeness of the provided samples and the authenticity of the document. Otherwise, Tsingcheng will not bear any relevant responsibilities.

4. 本报告对所测样品负责，报告数据仅反映对所测样品的评价，对于报告所载内容的使用、使用所产生的直接或间接损失及一切法律后果，本单位不承担任何经济和法律后果。

This report is only responsible for the provided samples. The test results only represent the evaluation of the tested samples. Tsingcheng will not be responsible for any economical or legal liability generated from direct or indirect usage of the test report.

5. 本单位有权在完成报告后按规定方式处理所测样品。

Tsingcheng has the right to dispose the tested sample by rules, after approval of the test report.

6. 本单位保证工作的客观公正性，对委托单位的商业信息、技术文件等商业秘密履行保密义务。

Tsingcheng guarantees the objectivity and impartiality of the test, and fulfills the obligation of confidentiality for our clients' business secrets including commercial information and technique documents.

7. 本报告未经本单位书面许可，不得用于广告。

The report cannot be used for advertising without the written permission of Tsingcheng.

8. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制（全文复制除外）或以其他任何形式的篡改均属无效，本单位将对上述行为严究其相应的法律责任。

The illegal transfer, misappropriation, fraudulent use, alteration, copying (except full-text copying) of this report without the approval of Tsingcheng or any other form of tampering are invalid. Tsingcheng shall strictly investigate and affix the corresponding legal responsibilities for the above-mentioned actions.



全国服务热线
400-0512-092

地 址：中国 江苏省 苏州工业园区展业路 18 号 中新生态科技城 C-115

邮政编码：215021

电 话：0512-67069291

传 真：0512-67069379

网 址：www.tsingcheng.com

检测报告

委托单位	名称	中新苏伊士环保技术（苏州）有限公司	联系人	陶涛
	地址	苏州工业园区界浦路509号	联系电话	18261811343
受检单位	名称	中新苏伊士环保技术（苏州）有限公司	联系人	陶涛
	地址	苏州工业园区界浦路509号	联系电话	18261811343
检测目的		委托检测	委托编号	TCE2605243
样品类别		有组织废气	样品状态	液态、气态、固态
采样日期		2026.06.01	采样人	陆德鹏、刘德成
分析日期		2026.06.01~2026.06.03	样品来源	采样
检测环境条件		符合要求		
检测内容及结果		见第2~5页		
检测依据		见附表1		
主要仪器设备		见附表2		
备注		1、ND表示未检出，检出限详见附表1； 2、检测结果仅代表当时污染物排放状况。		
编制人		王忻忻		
审核人		吴媛媛		
批准人		沈佳琪		
签发日期		2026年06月23日		

检测结果

排气筒名称	FQ-02除臭系统排放口		采样日期		2026.06.01		
排气筒高度(m)	30		采样位置		出口		
烟道截面积(m ²)	3.1416		净化方式		活性炭		
检测项目		单位	第一次	第二次	第三次	最大值	参照限值
废气流速		m/s	8.8	9.2	9.8	/	/
烟气温度		℃	40	40	40	/	/
含湿量		%	2.6	2.6	2.6	/	/
标态干废气流量		m ³ /h	84463	88465	94090	/	/
氨	实测浓度	mg/m ³	2.42	2.89	1.01	/	/
	排放速率	kg/h	0.204	0.256	0.095	0.256	20
臭气	实测浓度	无量纲	131	724	354	724	6000
备注	限值参照：《恶臭污染物排放标准》（GB 14554-93）表2。						

——本页以下空白——

检测结果

排气筒名称	FQ-02除臭系统排放口		采样日期		2026.06.01		
排气筒高度(m)	30		采样位置		出口		
烟道截面积(m ²)	3.1416		净化方式		活性炭		
检测项目		单位	检测结果			均值	参照限值
废气流速		m/s	8.8			/	/
烟气温度		℃	40			/	/
含湿量		%	2.6			/	/
标态干废气流量		m ³ /h	84463			/	/
低浓度颗粒物	实测浓度	mg/m ³	ND			/	20
	排放速率	kg/h	/			/	1
检测项目		单位	第一次	第二次	第三次	均值	参照限值
非甲烷总烃	实测浓度	mg/m ³	21.4	21.9	22.1	21.8	60
	排放速率	kg/h	/	/	/	1.84	3
氯化氢	实测浓度	mg/m ³	1.46	1.31	1.80	1.52	10
	排放速率	kg/h	/	/	/	0.128	0.18
备注	限值参照：《大气污染物综合排放标准》（DB32/4041-2021）表1。						

—————本页以下空白—————

检测结果

排气筒名称	FQ-02除臭系统排放口		采样日期		2026.06.01		
排气筒高度(m)	30		采样位置		出口		
烟道截面积(m²)	3.1416		净化方式		活性炭		
检测项目		单位	第一次	第二次	第三次	均值	参照限值
废气流速		m/s	10.0	9.8	9.6	9.8	/
烟气温度		℃	40	40	40	40	/
含湿量		%	2.6	2.6	2.6	2.6	/
标态干废气流量		m³/h	96006	94223	92041	94090	/
氟化物	实测浓度	mg/m³	0.19	0.18	0.18	0.18	3
	排放速率	kg/h	0.018	0.017	0.017	0.017	0.072
备注	限值参照：《大气污染物综合排放标准》（DB32/4041-2021）表1。						

———本页以下空白———

检测结果

排气筒名称		FQ-02除臭系统排放口			采样日期			2026.06.01		
排气筒高度(m)		30			采样位置			出口		
烟道截面积(m²)		3.1416			净化方式			活性炭		
检测项目		单位	第一次		第二次		第三次		最大值	参照限值
废气流速		m/s	8.8		9.2		9.8		/	/
烟气温度		°C	40		40		40		/	/
含湿量		%	2.6		2.6		2.6		/	/
标态干废气流量		m³/h	84463		88465		94090		/	/
硫化氢		实测浓度	ND	ND	ND	ND	ND	ND	/	/
		实测浓度 (均值)	ND		ND		ND		/	/
		排放速率	/		/		/		/	1.3
备注		限值参照《恶臭污染物排放标准》（GB 14554-93）表2。								

———本页以下空白———

附表1

检测项目方法一览表

样品类别	检测项目	依据标准	方法检出限
有组织 废气	氨	环境空气和废气 氨的测定 纳氏试剂分光光度法 HJ 533-2009	0.25mg/m ³ (10L)
	硫化氢	固定污染源废气 硫化氢的测定 亚甲基蓝分光光度法 HJ 1388-2024	0.007mg/m ³ (10L)
	低浓度颗粒物	固定污染源废气 低浓度颗粒物的测定 重量法 HJ 836-2017	1.0mg/m ³ (1m ³)
	氟化物	大气固定污染源 氟化物的测定 离子选择电极法 HJ/T 67-2001	6×10 ⁻² mg/m ³ (150L)
	氯化氢	环境空气和废气 氯化氢的测定 离子色谱法 HJ 549-2016	0.2mg/m ³ (10L)
	非甲烷总烃	固定污染源废气 总烃、甲烷和非甲烷总烃的测定 气相色谱法 HJ 38-2017	0.07mg/m ³
	臭气	环境空气和废气恶臭的测定 三点比较式臭袋法 HJ 1262-2022	/

—————本页以下空白—————

附表2

检测项目仪器一览表

仪器名称	仪器型号	仪器编号
分析天平	XS 205	51003
鼓风干燥箱	FD 115（E2）	54102
恒温恒湿称重系统	HW-7700	54603
气相色谱仪（双FID）	GC7890A	11205
紫外可见分光光度计	Cary 50	22102
pH计	PHS-3E	32108
离子色谱仪	ICS-1100	13002
自动烟尘（气）测试仪	3012H型	64312
真空采样箱	HP-5001	64221
智能双路烟气采样器	3072型	64402、64403

—— 结 束 ——



中新清城环境
CS TSINGCHENG ENVIRONMENT



211012342063



检测 报 告

Test Report

报告编号: QCHJ202601993

检测类别

委托检测

样品类别

有组织废气

委托单位

中新苏伊士环保技术（苏州）有限公司

中新苏州工业园区清城环境发展有限公司

CS SIP Tsingcheng Environment Development Co. LTD



声 明 Statement

1. 本报告无检验检测专用章、报告骑缝章和批准人签字无效。

This report is invalid without special seal of analysis, cross-page seal and approver's signatures.

2. 委托单位对报告数据如有异议，请于报告完成之日起十五日内向本单位书面提出复测申请，同时附上报告原件。

If the client has any questions about the results, please provide a written retest application with the original report to Tsingcheng within fifteen days since the final approval date of the report.

3. 委托单位对样品的代表性和资料的真实性负责，否则本单位不承担任何相关责任。

The client is responsible for the representativeness of the provided samples and the authenticity of the document. Otherwise, Tsingcheng will not bear any relevant responsibilities.

4. 本报告对所测样品负责，报告数据仅反映对所测样品的评价，对于报告所载内容的使用、使用所产生的直接或间接损失及一切法律后果，本单位不承担任何经济和法律后果。

This report is only responsible for the provided samples. The test results only represent the evaluation of the tested samples. Tsingcheng will not be responsible for any economical or legal liability generated from direct or indirect usage of the test report.

5. 本单位有权在完成报告后按规定方式处理所测样品。

Tsingcheng has the right to dispose the tested sample by rules, after approval of the test report.

6. 本单位保证工作的客观公正性，对委托单位的商业信息、技术文件等商业秘密履行保密义务。

Tsingcheng guarantees the objectivity and impartiality of the test, and fulfills the obligation of confidentiality for our clients' business secrets including commercial information and technique documents.

7. 本报告未经本单位书面许可，不得用于广告。

The report cannot be used for advertising without the written permission of Tsingcheng.

8. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制（全文复制除外）或以其他任何形式的篡改均属无效，本单位将对上述行为追究其相应的法律责任。

The illegal transfer, misappropriation, fraudulent use, alteration, copying (except full-text copying) of this report without the approval of Tsingcheng or any other form of tampering are invalid. Tsingcheng shall strictly investigate and affix the corresponding legal responsibilities for the above-mentioned actions.



全国服务热线
400-0512-092

地 址：中国 江苏省 苏州工业园区展业路 18 号 中新生态科技城 C-115
邮政编码：215021
电 话：0512-67069291
传 真：0512-67069379
网 址：www.tsingcheng.com

检 测 报 告

委托单位	名称	中新苏伊士环保技术(苏州)有限公司	联系人	陶涛			
	地址	苏州工业园区界浦路509号	联系电话	18261811343			
受检单位	名称	中新苏伊士环保技术(苏州)有限公司	联系人	陶涛			
	地址	苏州工业园区界浦路509号	联系电话	18261811343			
检测目的		委托检测	委托编号	TCE2606323			
样品类别		有组织废气	样品状态	气态			
采样日期		2026.06.30	采样人	李元清、沈佳琪			
分析日期		2026.06.30~2026.07.02	样品来源	采样			
检测环境条件		符合要求					
检测内容及结果		见第2页					
检测依据		见附表1					
主要仪器设备		见附表2					
备注		检测结果仅代表当时污染物排放状况。					
编制人							
审核人							
批准人							
签发日期							

检测结果

排气筒名称	FQ-02除臭系统排放口		采样日期		2026.06.30		
排气筒高度(m)	30		采样位置		出口		
烟道截面积(m²)	3.1415		净化方式		活性炭		
检测项目		单位	第一次	第二次	第三次	均值	参照限值
废气流速		m/s	8.3	8.5	8.5	8.4	/
烟气温度		℃	33	33	33	33	/
含湿量		%	3.1	3.1	3.0	3.1	/
标态干废气流量		m³/h	80309	82811	82034	81718	/
非甲烷总烃	实测浓度	mg/m³	15.6	13.0	13.2	13.9	60
	排放速率	kg/h	1.25	1.08	1.08	1.14	3
备注	限值参照《大气污染物综合排放标准》（DB32/4041-2021）表1。						

—————本页以下空白—————

附表1

检测项目方法一览表

样品类别	检测项目	依据标准	方法检出限
有组织废气	非甲烷总烃	固定污染源废气 总烃、甲烷和非甲烷总烃的测定 气相色谱法 HJ 38-2017	0.07mg/m ³

附表2

检测项目仪器一览表

仪器名称	仪器型号	仪器编号
气相色谱仪	GC7890A	11205
真空采样箱	HP-5001	64217
智能综合工况枪	EM-3062L	63131

—— 结 束 ——

